

AMENDMENT TO THE CLAIMS

Claims 1-22 (Canceled)

Claims 23-44 (cancel)

45. (Currently Amended) A method of targeting content, comprising:

receiving multiple data streams, each data stream comprising a content item and at least one associated tag;

storing a user profile having at least one profile tag;

calculating a score for the content item by comparing the at least one associated tag to the user profile;

comparing the score to a threshold score;

when the score satisfies the threshold score, then determining that the content item is appropriate for presentation; and

~~evaluating the at least one tag to the at least one profile tag; and~~

~~selecting one of the multiple data streams having the score that satisfies the threshold score based on the evaluation.~~

46. (Original) The method of claim 45, further comprising defining the user profile based on usage.

47. (Original) The method of claim 45, further comprising defining the user profile based on manual input.

48. (Currently Amended) The method of claim 45, further comprising detecting a pattern in user selections and updating the user profile with the pattern ~~wherein evaluating the at least one tag comprises scoring the at least one tag.~~

49. (Original) The method of claim 45, wherein evaluating the at least one tag comprises correlating the at least one tag to the at least one profile tag.
50. (Original) The method of claim 45, further comprising storing the selected one of the multiple data streams.
51. (Original) The method of claim 45, further comprising filtering out unselected data streams.
52. (Original) The method of claim 45, further comprising receiving a tag identifier associated with the at least one tag.
53. (Original) The method of claim 45, wherein receiving the multiple data streams comprises receiving a classification associated with the at least one tag.
54. (Original) The method of claim 45, further comprising detecting an insertion event.
55. (Original) The method of claim 45, further comprising causing presentation of the selected one of the multiple data streams.
56. (Currently Amended) A system for targeting content, comprising:

a processor communicating with memory;

the processor receiving an internal insertion event for a content menu;

the processor ~~means for~~ receiving multiple data streams, each data stream comprising a content item and at least one associated tag;

the processor ~~means for~~ storing a user profile in the memory having at least one profile tag;

the processor calculating a score for the content item by comparing the at least one associated tag to the user profile, and the processor comparing the score to a threshold score;

when the score satisfies the threshold score, then the processor determines that the content item is appropriate for presentation;

~~means for evaluating the at least one tag to the at least one profile tag; and~~

the processor means for selecting one of the multiple data streams having the score that satisfies the threshold score ~~based on the evaluation; and~~

the processor ordering the content menu with content items having a highest probability of interest according to the user profile.

57. (Original) The system of claim 56, further comprising means for defining the user profile based on usage.
58. (Original) The system of claim 56, further comprising means for defining the user profile based on manual input.
59. (Currently Amended) The system of claim 56, wherein the processor further detects a pattern in user selections and updating the user profile with the pattern ~~further comprising means for scoring the at least one tag.~~
60. (Original) The system of claim 56, further comprising means for correlating the at least one tag to the at least one profile tag.
61. (Original) The system of claim 56, further comprising means for storing the selected one of the multiple data streams.
62. (Original) The system of claim 56, further comprising means for filtering out unselected data streams.
63. (Original) The system of claim 56, further comprising means for receiving a classification associated with the at least one tag.

64. (Currently Amended) The system of claim 56, further comprising means for detecting the internal [[an]] insertion event.
65. (Original) The system of claim 56, further comprising means for causing presentation of the selected one of the multiple data streams.
66. (Currently Amended) A computer program product comprising a computer readable storage medium storing processor executable instructions for performing a method of targeting content, the method comprising:
- receiving an internal insertion event for a content menu;
 - receiving multiple data streams, each data stream comprising a content item and at least one associated tag;
 - storing a user profile having at least one profile tag;
 - calculating a score for the content item by comparing the at least one associated tag to the user profile;
 - comparing the score to a threshold score;
 - when the score satisfies the threshold score, then determining that the content item is appropriate for presentation;
 - ~~evaluating the at least one tag to the at least one profile tag; and~~
 - selecting one of the multiple data streams having the score that satisfies the threshold score ~~based on the evaluation;~~
 - ordering the content menu with content items having a highest probability of interest according to the user profile; and
 - presenting a targeted content item when the targeted content item is associated with a zone improvement plan matching the user profile.